



ARCHEO

disponibile in versione idraulico  
available in hydraulic version



L (mm)	H (mm)	WATT $\Delta$ t50	VERSION	ELEMENTS
230	400	117	☾	6
230	500	146	☾	6
230	600	175	☾	6
230	700	205	☾	6
230	800	233	☾	6
230	900	263	☾	6
230	1000	292	☾	6
230	1500	438	☾	6
230	1800	526	☾	6
230	2000	584	☾	6
230	2200	642	☾	6
306	400	156	☾	8
306	500	194	☾	8
306	600	234	☾	8
306	700	273	☾	8
306	800	311	☾	8
306	900	350	☾	8
306	1000	389	☾	8
306	1500	584	☾	8
306	1800	701	☾	8
306	2000	778	☾	8
306	2200	856	☾	8
382	400	195	☾	10
382	500	243	☾	10
382	600	292	☾	10
382	700	341	☾	10
382	800	389	☾	10
382	900	438	☾	10
382	1000	486	☾	10
382	1500	730	☾	10

## Living area

L (mm)	H (mm)	WATT $\Delta$ t50	VERSION	ELEMENTS
382	1800	876	⊖	10
382	2000	973	⊖	10
382	2200	1070	⊖	10
458	400	234	⊖	12
458	500	292	⊖	12
458	600	350	⊖	12
458	700	409	⊖	12
458	800	467	⊖	12
458	900	526	⊖	12
458	1000	538	⊖	12
458	1500	876	⊖	12
458	1800	1051	⊖	12
458	2000	1168	⊖	12
458	2200	1284	⊖	12
534	400	273	⊖	14
534	500	340	⊖	14
534	600	409	⊖	14
534	700	477	⊖	14
534	800	545	⊖	14
534	900	613	⊖	14
534	1000	680	⊖	14
534	1500	1022	⊖	14
534	1800	1227	⊖	14
534	2000	1362	⊖	14
534	2200	1498	⊖	14
610	400	312	⊖	16
610	500	389	⊖	16
610	600	437	⊖	16
610	700	546	⊖	16
610	800	622	⊖	16
610	900	701	⊖	16
610	1000	778	⊖	16
610	1500	1168	⊖	16
610	1800	1402	⊖	16
610	2000	1557	⊖	16
610	2200	1712	⊖	16
686	400	351	⊖	18
686	500	437	⊖	18
686	600	526	⊖	18
686	700	614	⊖	18
686	800	700	⊖	18
686	900	788	⊖	18
686	1000	875	⊖	18
686	1500	1314	⊖	18
686	1800	1577	⊖	18
686	2000	1751	⊖	18
686	2200	1926	⊖	18
762	400	390	⊖	20

L (mm)	H (mm)	WATT $\Delta$ t50	VERSION	ELEMENTS
762	500	486	☺	20
762	600	584	☺	20
762	700	682	☺	20
762	800	778	☺	20
762	900	876	☺	20
762	1000	972	☺	20
762	1500	1460	☺	20
762	1800	1752	☺	20
762	2000	1946	☺	20
762	2200	2140	☺	20
838	400	429	☺	22
838	500	535	☺	22
838	600	642	☺	22
838	700	750	☺	22
838	800	856	☺	22
838	900	964	☺	22
838	1000	1069	☺	22
838	1500	1606	☺	22
838	1800	1927	☺	22
838	2000	2141	☺	22
838	2200	2354	☺	22
914	400	468	☺	24
914	500	583	☺	24
914	600	701	☺	24
914	700	818	☺	24
914	800	934	☺	24
914	900	1051	☺	24
914	1000	1166	☺	24
914	1500	1752	☺	24
914	1800	2102	☺	24
914	2000	2335	☺	24
914	2200	2568	☺	24
990	400	507	☺	26
990	500	632	☺	26
990	600	759	☺	26
990	700	887	☺	26
990	800	1011	☺	26
990	900	1139	☺	26
990	1000	1264	☺	26
990	1500	1898	☺	26
990	1800	2278	☺	26
990	2000	2530	☺	26
990	2200	2782	☺	26
1066	400	546	☺	28
1066	500	680	☺	28
1066	600	818	☺	28
1066	700	955	☺	28
1066	800	1089	☺	28

## Living area

L (mm)	H (mm)	WATT $\Delta$ t50	VERSION	ELEMENTS
1066	900	1226	☹	28
1066	1000	1361	☹	28
1066	1500	2044	☹	28
1066	1800	2453	☹	28
1066	2000	2721	☹	28
1066	2200	2996	☹	28
230	400	170	☹☹	6
230	500	212	☹☹	6
230	600	255	☹☹	6
230	700	298	☹☹	6
230	800	340	☹☹	6
230	900	382	☹☹	6
230	1000	425	☹☹	6
230	1500	637	☹☹	6
230	1800	761	☹☹	6
230	2000	850	☹☹	6
230	2200	935	☹☹	6
306	400	226	☹☹	8
306	500	283	☹☹	8
306	600	340	☹☹	8
306	700	397	☹☹	8
306	800	453	☹☹	8
306	900	510	☹☹	8
306	1000	566	☹☹	8
306	1500	850	☹☹	8
306	1800	1019	☹☹	8
306	2000	1133	☹☹	8
306	2200	1246	☹☹	8
382	400	283	☹☹	10
382	500	354	☹☹	10
382	600	425	☹☹	10
382	700	496	☹☹	10
382	800	566	☹☹	10
382	900	637	☹☹	10
382	1000	708	☹☹	10
382	1500	1062	☹☹	10
382	1800	1274	☹☹	10
382	2000	1416	☹☹	10
382	2200	1558	☹☹	10
458	400	340	☹☹	12
458	500	425	☹☹	12
458	600	510	☹☹	12
458	700	595	☹☹	12
458	800	679	☹☹	12
458	900	764	☹☹	12
458	1000	850	☹☹	12
458	1500	1274	☹☹	12
458	1800	1529	☹☹	12

L (mm)	H (mm)	WATT $\Delta$ t50	VERSION	ELEMENTS
458	2000	1699	☺☺	12
458	2200	1870	☺☺	12
534	400	396	☺☺	14
534	500	496	☺☺	14
534	600	595	☺☺	14
534	700	694	☺☺	14
534	800	792	☺☺	14
534	900	892	☺☺	14
534	1000	991	☺☺	14
534	1500	1487	☺☺	14
534	1800	1784	☺☺	14
534	2000	1982	☺☺	14
534	2200	2181	☺☺	14
610	400	453	☺☺	16
610	500	566	☺☺	16
610	600	680	☺☺	16
610	700	794	☺☺	16
610	800	906	☺☺	16
610	900	1019	☺☺	16
610	1000	1133	☺☺	16
610	1500	1699	☺☺	16
610	1800	2038	☺☺	16
610	2000	2266	☺☺	16
610	2200	2459	☺☺	16
686	400	509	☺☺	18
686	500	637	☺☺	18
686	600	765	☺☺	18
686	700	893	☺☺	18
686	800	1019	☺☺	18
686	900	1147	☺☺	18
686	1000	1274	☺☺	18
686	1500	1912	☺☺	18
686	1800	2293	☺☺	18
686	2000	2549	☺☺	18
686	2200	2804	☺☺	18
762	400	566	☺☺	20
762	500	708	☺☺	20
762	600	850	☺☺	20
762	700	992	☺☺	20
762	800	1132	☺☺	20
762	900	1274	☺☺	20
762	1000	1416	☺☺	20
762	1500	2124	☺☺	20
762	1800	2548	☺☺	20
762	2000	2832	☺☺	20
762	2200	3116	☺☺	20
838	400	623	☺☺	22
838	500	779	☺☺	22

## Living area

L (mm)	H (mm)	WATT $\Delta$ t50	VERSION	ELEMENTS
838	600	935	☺☺	22
838	700	1091	☺☺	22
838	800	1245	☺☺	22
838	900	1401	☺☺	22
838	1000	1558	☺☺	22
838	1500	2336	☺☺	22
838	1800	2803	☺☺	22
838	2000	3115	☺☺	22
838	2200	3428	☺☺	22
914	400	679	☺☺	24
914	500	850	☺☺	24
914	600	1020	☺☺	24
914	700	1190	☺☺	24
914	800	1358	☺☺	24
914	900	1529	☺☺	24
914	1000	1699	☺☺	24
914	1500	2549	☺☺	24
914	1800	3058	☺☺	24
914	2000	3398	☺☺	24
914	2200	3739	☺☺	24
990	400	736	☺☺	26
990	500	920	☺☺	26
990	600	1105	☺☺	26
990	700	1290	☺☺	26
990	800	1472	☺☺	26
990	900	1656	☺☺	26
990	1000	1841	☺☺	26
990	1500	2761	☺☺	26
990	1800	3312	☺☺	26
990	2000	3682	☺☺	26
990	2200	4051	☺☺	26
1066	400	799	☺☺	28
1066	500	991	☺☺	28
1066	600	1190	☺☺	28
1066	700	1389	☺☺	28
1066	800	1585	☺☺	28
1066	900	1784	☺☺	28
1066	1000	1982	☺☺	28
1066	1500	2974	☺☺	28
1066	1800	3567	☺☺	28
1066	2000	3965	☺☺	28
1066	2200	4362	☺☺	28



Colori **FEEL** // Color **FEEL**



per richiedere altri interessi o misure personalizzate contattare ufficio tecnico // for other valves distance or custom dimensions please contact technical office